

# Adaptation and junction profiles, skirtings and beadings

	Placement	Technical drawing	Description
<b>Skirtings</b>			<p><b>packaging dimensions</b> 5 lengths in shrink-wrap 2200x14x60/80mm (l x w x h)</p> <p>Skirting boards provide a perfect finish to the walls after the laminate flooring has been installed. Using these skirting boards enables you to easily cover expansion joints of approximately 8-10 mm.</p>
<b>Beadings</b>			<p><b>packaging dimensions</b> 5 lengths per pack 2200x14,3x14mm (l x w x h)</p> <p>These small finishing trims may be used for various applications, for example where skirting boards form part of walls, in combination with Berry Floor skirting boards (e.g., in the event of wide expansion joints or for decorative reasons), or as the sole finish after installation of the laminate.</p>
<b>Reducer profiles</b>			<p><b>packaging dimensions</b> per unit in shrink-wrap along with PVC installation hardware and screws to fix to ground surface</p> <p><b>dimensions</b> (l x w x h)  a) MDF 1000x47,6x14,3mm  b) ALU 2000x46x11,7mm  three versions: bronze, silver and gold</p> <p>This profile reduces thresholds whereby laminate is used in one room and ceramic tile in the corridor. The model provides a smooth transition between both and also allows for expansion in the laminate floor (this is the case for all).</p>
<b>T-bar profiles</b>			<p><b>packaging dimensions</b> per unit in shrink-wrap along with PVC installation hardware and screws to fix to ground surface</p> <p><b>dimensions</b> (l x w x h)  a) MDF 1000/2150x47,7x14,3mm  b) ALU 2000x46x11,7mm  three versions: bronze, silver and gold</p> <p>T-bar profiles are used for transitions from laminate to laminate flooring, e.g., room and corridor and may only be used for floors of equal thickness. Available in a coated version as well as in aluminium versions.</p>
<b>Stop profiles</b>			<p><b>packaging dimensions</b> per unit in shrink-wrap 2000x15/27,5x11,3mm (l x w x h)  three versions: bronze, silver and gold</p> <p>Stop profiles are used for various applications such as fairs, showrooms, and also in living rooms where this finish is preferred over others. For it is possible that the concrete screed is lower than the floor in the corridor and that therefore a stop profile is used at the door. Thanks to its user-friendliness this is also a product that is chosen by many professional installers.</p>
<b>Ending profiles</b>			<p><b>packaging dimensions</b> per unit in shrink-wrap along with PVC installation hardware and screws to fix to ground surface</p> <p><b>dimensions</b> 2150x35,9x14,3mm (l x w x h)</p> <p>Application: in addition to the application at fairs and in showrooms this profile is rather used for finishing stairs on landings, fireplaces and sliding windows.</p>



Berry Floor is an official sponsor of the Discovery Channel Pro Cycling Team and **Lance Armstrong**.

For further information on the team, go to  
*[www.teamdiscoverychannel.com](http://www.teamdiscoverychannel.com)*

Your Berry Floor-dealer:

# BERRY FLOOR

## L a m i n a t e


*Industrielaan 100 - 8930 Menen - Belgium*

*Tel 00 32 (0)56 52 84 80*

*Fax 00 32 (0)56 52 84 90*

*[www.berryfloor.com](http://www.berryfloor.com)*

*[www.berryfloor.com](http://www.berryfloor.com)*



*Berry Floor Accessories*  
*As everyone deserves to be perfect.*



**BERRY  FLOOR**


L a m i n a t e



*www.berryfloor.com*

## *Berry Floor has covered all the bases...*

It would be a shame not to carefully finish top-quality flooring. That is why Berry Floor's perfectionism is visible in the finest details. Moreover, in order for you to be able to install and maintain your flooring in the simplest and quickest way, our accessories excel in user-friendliness and ergonomics.



### **Berry Floor Excellence underlay**

The most advanced underlay on the market:

- With integrated adhesive strip
- Correct unevenness in the floor up to 2 mm
- 100% protection against moisture and damp
- Thermal and acoustic insulator (-19 dB)
- Available in rolls of 14 & 20 m<sup>2</sup> (150.70 & 215.29 sqft)
- Thickness 3 mm, length 14/20 m (45.93/65.62 ft), width 1 m (3.28 ft)
- 3 mm polystyrene with polyester film
- Integrated overlap with self-adhesive strip

### **Berry Floor adaptation and junction profiles**

Profiles in melamine-coated HDF, MDF and aluminium, designed according to the strictest Berry Floor quality standards and available in a wide variety of decors. Each to be clipped on a specific PVC screwable profile. A system that makes screws invisible and allows differences in height.

### **Berry Floor skirtings and beadings**

In melamine-coated HDF designed according to the strictest Berry Floor quality standards and available in a wide variety of decors.

### **Berry Floor clips and drilling template**

Special clips to fix the skirtings to the wall by simple clipping. Delivered with handy drilling template.

- Available in boxes of 50 pieces
- Boxes of 50 dowels & 1 practical drilling template
- 1 box of 50 pieces is necessary for installation of 25 m skirtings



### **Cleaning agent for Berry Floor laminates**

- Environmentally sound cleaner for quick and simple routine cleaning of laminate floors.
- Bottles of 1000 ml
- Content : preservatives, solvents, additives & perfume

... in all possible colour combinations.

## Accessories Berry Floor 2005

BERRY FLOOR RANGES	SKIRTINGS			BEADINGS		PROFILES				
	5 pieces/pack 60 mm h 2,20 m	5 pieces/pack 80 mm h 2,20 m				STOP PROFILES 2 m	REDUCER PROFILES 1 m	ENDING PROFILES 2,15 m	T-BAR PROFILES 1 m	T-BAR PROFILES 2,15 m
<i>Château</i>										
Honey Oak	PL060	-		CP060	-	BS047	EP014	BJ047	BJ076	
Doussie	PL059	-		CP059	-	BS046	EP013	BJ046	BJ075	
Old Oak	PL061	-		CP061	-	BS048	EP01	BJ048	BJ077	
Rustic Oak	PL073	-		CP073	-	BS056	EP023	BJ056	BJ085	
Gascogne Oak	PL072	-		CP072	-	BS055	EP022	BJ055	BJ084	
American Oak	PL071	-		CP071	-	BS054	EP021	BJ054	BJ083	
Dark Oak	PL070	-		CP070	-	BS053	EP020	BJ053	BJ082	
<i>Regency+ 120 &amp; 170 - Residence</i>										
White Pine	PL077	-		CP077	-	BS060	EP027	BJ060	BJ089	
Classic Pine	PL078	-		CP078	-	BS061	EP028	BJ061	BJ090	
Elysée Oak	PL074	-		CP074	-	BS057	EP024	BJ057	BJ086	
Vendôme Oak	PL075	-		CP075	-	BS058	EP025	BJ058	BJ087	
Concorde Oak	PL076	-		CP076	-	BS059	EP026	BJ059	BJ088	
Dark Oak	PL070	-		CP070	-	BS053	EP020	BJ053	BJ082	
American Oak	PL071	-		CP071	-	BS054	EP021	BJ054	BJ083	
<i>Regency 120 &amp; 170 (WoodView®)</i>										
Cottage Pine	PL028	-		CP028	-	BS023	EP002	BJ023	BJ064	
Rustical Beech	PL030	-		CP030	-	BS025	EP003	BJ025	BJ065	
Wild Beech	PL044	-		CP044	-	BS043	EP011	BJ043	BJ073	
Classic Oak	PL045	-		CP045	-	BS044	EP012	BJ044	BJ074	
<i>Regency 170 (WoodView 4®)</i>										
Classic Oak	PL045	-		CP045	-	BS044	EP012	BJ044	BJ074	
Wild Beech	PL044	-		CP044	-	BS043	EP011	BJ043	BJ073	
French Oak	PL063	-		CP063	-	BS050	EP017	BJ050	BJ079	
Ebony	PL079	-		CP079	-	BS062	EP029	BJ062	BJ091	
<i>Hacienda</i>										
Country Cherry	PL062	-		CP062	-	BS049	EP016	BJ049	BJ078	
French Oak	PL063	-		CP063	-	BS050	EP017	BJ050	BJ079	
Classic Beech	PL064	-		CP064	-	BS051	EP018	BJ051	BJ080	
White Oak	PL038	-		CP038	-	BS032	EP009	BJ032	BJ071	
<i>Cottage</i>										
Norwegian Pine	PL020	-		CP020	-	BS019	EP001	BJ019	BJ063	
Country Oak	PL034	-		CP034	-	BS036	EP010	BJ036	BJ072	
Natural Oak	PL035	-		CP035	-	BS029	EP006	BJ029	BJ068	
Canadian Walnut	PL036	-		CP036	-	BS030	EP007	BJ030	BJ069	
Rustic Pine	PL037	-		CP037	-	BS031	EP008	BJ031	BJ070	
Antic Oak	PL033	-		CP033	-	BS028	EP005	BJ028	BJ067	
White Oak	PL038	-		CP038	-	BS032	EP009	BJ032	BJ071	
Antique Cherry	PL052	-		CP052	-	BS045	EP030	BJ045	BJ098	
Doussie	PL059	-		CP059	-	BS046	EP013	BJ046	BJ075	
Old Oak	PL061	-		CP061	-	BS048	EP015	BJ048	BJ077	
Sherwood Oak	PL138	-		CP138	-	BS134	EP066	BJ134	BJ144	
Chambord Oak	PL141	-		CP141	-	BS137	EP069	BJ137	BJ147	
Venice Oak	PL139	-		CP139	-	BS135	EP067	BJ135	BJ145	
Boston Oak	PL140	-		CP140	-	BS136	EP068	BJ136	BJ146	
<i>Aluminium-version</i>										
	SKIRTINGS			BEADINGS		PROFILES				
	5 pieces/pack 60 mm h 2,20 m	5 pieces/pack 80 mm h 2,20 m		5 pieces/pack 14 mm h 2,20 m		STOP PROFILES 2 m	REDUCER PROFILES 1 m/2 m	ENDING PROFILES 2 m	T-BAR PROFILES 1 m	T-BAR PROFILES 2 m
Colour Gold	-	-		-		SP001	BS095/092	-	BJ095	BJ092
Colour Silver	-	-		-		SP002	BS096/093	-	BJ096	BJ093
Colour Bronze	-	-		-		SP003	BS097/094	-	BJ097	BJ094

## BERRY FLOOR RANGES

### SKIRTINGS

Spieces/pack 60 mm h 2,20 m	Spieces/pack 80 mm h 2,20 m
-----------------------------------	-----------------------------------

### BEADINGS

Spieces/pack 14 mm h 2,20 m
-----------------------------------

### PROFILES

STOP PROFILES 2 m	REDUCER PROFILES 1 m	ENDING PROFILES 2,15 m	T-BAR PROFILES 1 m	T-BAR PROFILES 2,15 m
-------------------------	----------------------------	------------------------------	--------------------------	-----------------------------

### Loft Select

	PL065	-		CP065	-	BS052	EP019	BJ052	BJ081
Perigord Oak	PL065	-		CP065	-	BS052	EP019	BJ052	BJ081
Classic Beech	PL064	-		CP064	-	BS051	EP018	BJ051	BJ080
Old Oak	PL061	-		CP061	-	BS048	EP015	BJ048	BJ077
Rustic Oak	PL073	-		CP073	-	BS056	EP023	BJ056	BJ085
Gascogne Oak	PL072	-		CP072	-	BS055	EP022	BJ055	BJ084
American Oak	PL071	-		CP071	-	BS054	EP021	BJ054	BJ083
Dark Oak	PL070	-		CP070	-	BS053	EP020	BJ053	BJ082
Red Oak	PL148	-		CP148	-	BS149	EP075	BJ149	BJ158
Concorde Oak	PL076	-		CP076	-	BS059	EP026	BJ059	BJ088
Birch 2 strips	PL008	-		CP008	-	BS008	-	BJ008	-
Maple 3 strips	PL019	PL051		CP019	-	BS002	-	BJ002	-
Alder 3 strips	PL006	-		CP006	-	BS006	-	BJ006	-
Beech 3 strips	PL021	-		CP021	-	BS002	-	BJ002	-
Oak 3 strips	PL022	-		CP022	-	BS015	-	BJ015	-

### Casa for Kids

	PL068	-		-	-	-	-	-	-
Dolphin Blue	PL068	-		-	-	-	-	-	-
Mouse Grey	PL066	-		-	-	-	-	-	-

### Casa

	PL015	PL049		CP015	-	BS015	-	BJ015	-
Oak 3 strips	PL015	PL049		CP015	-	BS015	-	BJ015	-
Alder 3 strips	PL016	-		CP016	-	BS037	-	BJ037	-
Cherry 2 strips	PL016	-		CP016	-	BS037	-	BJ037	-
Beech 3 strips	PL018	PL050		CP018	-	BS017	-	BJ017	-
Oak 2 strips	PL040	-		CP040	-	BS034	-	BJ034	-
Canadian Maple	PL137	-		CP137	-	BS133	-	BJ133	-

### Tiles

					2,134 m	2,134 m		2,134 m
Nevada	PL080	-		CP080	-	BS160	EP082	BJ160
Toscane	PL081	-		CP081	-	BS159	EP081	BJ159
Artic White	PL157	-		CP157	-	BS161	EP083	BJ161
Tourraine Slate	PL160	-		CP160	-	BS164	EP086	BJ164
Blois Slate	PL160	-		CP160	-	BS164	EP086	BJ164
Firenze	PL163	-		CP163	-	BS159	EP089	BJ167
Royal Cream	PL159	-		CP159	-	BS163	EP085	BJ163
Intensive Grey	PL158	-		CP158	-	BS162	EP084	BJ162
Ice White	PL157	-		CP157	-	BS161	EP083	BJ161
Tomette	PL164	-		CP164	-	BS168	EP090	BJ168

### Loft Project

	PL006	-		CP006	-	BS006	-	BJ006	-
Alder 3 strips	PL006	-		CP006	-	BS006	-	BJ006	-
Merbau 3 strips	PL007	-		CP007	-	BS020	-	BJ020	-
Birch 2 strips	PL008	-		CP008	-	BS008	-	BJ008	-
Oak 3 strips	PL015	PL049		CP015	-	BS015	-	BJ015	-
Pear	PL016	-		CP016	-	BS039	-	BJ039	-
Cherry 3 strips	PL016	-		CP016	-	BS019	-	BJ019	-
Beech 3 strips	PL018	PL050		CP018	-	BS017	-	BJ017	-
Ivory White	PL025	-		CP025	-	-	-	-	-
Rustical Beech	PL030	-		CP030	-	BS025	-	BJ025	-
Country Oak	PL034	-		CP034	-	BS036	-	BJ036	-
Oak 2 strips	PL040	-		CP040	-	BS034	-	BJ034	-
Blue Provence	PL041	-		CP041	-	-	-	-	-
Red Alder	PL026	-		CP026	-	BS020	-	BJ020	-
Noble Beech	PL027	-		CP027	-	BS022	-	BJ022	-

### Business Class 33

	PL076	-		CP076	-	BS059	-	BJ059	-
Concorde Oak	PL076	-		CP076	-	BS059	-	BJ059	-
Red Cherry	PL150	-		CP150	-	BS151	-	BJ151	-
Sherwood Oak	PL138	-		CP138	-	BS134	-	BJ134	-
Quebec Maple	PL149	-		CP149	-	BS150	-	BJ150	-
Red Beech	PL151	-		CP151	-	BS152	-	BJ152	-